

## 3Cs & HIV Programme: References

### 19 December 2013 update

This bibliography provides a list of references for the various documents used in the 3Cs & HIV programme.

Adams, E. J., Turner, K. M. E., & Edmunds, W. J. (2007). The cost effectiveness of opportunistic chlamydia screening in England. *Sexually transmitted infections*, 83(4), 267–74; discussion 274–5. doi:10.1136/sti.2006.024364 <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2598679/>

Ajzen, I. (2002), Perceived Behavioral Control, Self-Efficacy, Locus of Control, and the Theory of Planned Behavior. *Journal of Applied Social Psychology*, 32: 665–683. doi: 10.1111/j.1559-1816.2002.tb00236.x <http://onlinelibrary.wiley.com/doi/10.1111/j.1559-1816.2002.tb00236.x/abstract>

Apoola, A., Boothby, M., & Radcliffe, K. (2004). Is telephone follow-up as good as traditional clinic follow-up in achieving the proposed national outcome standards for chlamydia management?. *International journal of STD & AIDS*, 15(6), 376-379. Abstract only; <http://std.sagepub.com/content/15/6/376.short>  
<http://std.sagepub.com/content/15/6/376.full.pdf+html>

Arkell, P., Stewart, E., & Williams, I. (2011). HIV: low prevalence is no excuse for not testing. *The British journal of general practice: the journal of the Royal College of General Practitioners*, 61(585), 244–5. doi:10.3399/bjgp11X567009  
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3063012/pdf/bjgp61-244.pdf>

Baggaley, Dr. R, (2008). HIV for non-HIV specialists – diagnosing the undiagnosed. *MEDICAL FOUNDATION FOR AIDS & SEXUAL HEALTH (MedFASH)*  
<http://www.medfash.org.uk/uploads/files/p17am0h8v510dr1f941ebg1sicgpr.pdf>

BASHH, BHIVA and BIS joint national guidelines on HIV testing (2008):  
<http://www.bhiva.org/documents/Guidelines/Testing/GlinesHIVTest08.pdf>

Beck, E. J., Mandalia, S., Sangha, R., Sharott, P., Youle, M., Baily, G., Brettle, R., et al. (2011). The cost-effectiveness of early access to HIV services and starting cART in the UK 1996-2008. *PloS one*, 6(12), e27830. doi:10.1371/journal.pone.0027830  
<http://www.plosone.org/article/fetchObject.action?uri=info%3Adoi%2F10.1371%2Fjournal.pone.0027830&representation=PDF>

British Association of Sexual Health and HIV (BASHH) (2006). *UK National Guideline for the Management of Genital Tract Infection with Chlamydia trachomatis*, 1–24.  
<http://www.bashh.org/documents/65.pdf>

British HIV Association, British Association of Sexual Health and HIV & British Infection Society (BHIVA/BASHH/BIS) (2008). *UK National Guidelines for HIV Testing*  
<http://www.bhiva.org/documents/Guidelines/Testing/GlinesHIVTest08.pdf>

Burns, F. M., Johnson, A. M., Nazroo, J., Ainsworth, J., Anderson, J., Fakoya, A., Fakoya, I., et al. (2008). Missed opportunities for earlier HIV diagnosis within primary and secondary healthcare settings in the UK. *AIDS* (London, England), 22(1), 115–22. doi:10.1097/QAD.0b013e3282f1d4b6 [http://journals.lww.com/aidsonline/fulltext/2008/01020/missed\\_opportunities\\_for\\_earlier\\_hiv\\_diagnosis.14.aspx](http://journals.lww.com/aidsonline/fulltext/2008/01020/missed_opportunities_for_earlier_hiv_diagnosis.14.aspx)

Cohen, M. S., Chen, Y. Q., McCauley, M., Gamble, T., Hosseinipour, M. C., Kumarasamy, N., Hakim, J. G., et al. (2011). Prevention of HIV-1 Infection with Early Antiretroviral Therapy. *New England Journal of Medicine*, 365(6), 493–505. doi:10.1056/NEJMoa1105243 <http://www.nejm.org/doi/pdf/10.1056/NEJMoa1105243>

Darville, T., & Hiltke, T. J. (2010). Pathogenesis of Genital Tract Disease Due to Chlamydia trachomatis. *The Journal of Infectious Diseases*, 201(S2), 114–125. doi:10.1086/652397 [http://jid.oxfordjournals.org/content/201/Supplement\\_2/S114.full.pdf+html](http://jid.oxfordjournals.org/content/201/Supplement_2/S114.full.pdf+html)

Fox, J., White, P. J., Macdonald, N., Weber, J., McClure, M., Fidler, S., & Ward, H. (2009). Reductions in HIV transmission risk behaviour following diagnosis of primary HIV infection: a cohort of high-risk men who have sex with men. *HIV medicine*, 10(7), 432–8. doi:10.1111/j.1468-1293.2009.00708.x <http://onlinelibrary.wiley.com/doi/10.1111/j.1468-1293.2009.00708.x/pdf>

Haggerty, C. L., Gottlieb, S. L., Taylor, B. D., Low, N., Xu, F., & Ness, R. B. (2010). Risk of sequelae after Chlamydia trachomatis genital infection in women. *The Journal of infectious diseases*, 201 Suppl (Suppl 2), S134–55. doi:10.1086/652395 [http://jid.oxfordjournals.org/content/201/Supplement\\_2/S134.full.pdf+html](http://jid.oxfordjournals.org/content/201/Supplement_2/S134.full.pdf+html)

Heijne, J. C. M., & Low, N. (2011). Differential selection processes in opportunistic chlamydia screening. *Sexually transmitted infections*, 87(6), 454–5. doi:10.1136/sti.2011.049783 <http://sti.bmj.com/content/early/2011/06/24/sti.2011.049783.full.pdf+html>

Hogan, A. H., Howell-Jones, R. S., Pottinger, E., Wallace, L. M., & McNulty, C. A. M. (2010). “...they should be offering it”: a qualitative study to investigate young peoples’ attitudes towards chlamydia screening in GP surgeries. *BMC public health*, 10(1), 616. doi:10.1186/1471-2458-10-616 <http://www.biomedcentral.com/content/pdf/1471-2458-10-616.pdf>

HPA (2011) *Time to test for HIV: Expanding HIV testing in healthcare and community services in England, Final report, 2011* [http://www.hpa.org.uk/webc/HPAwebFile/HPAweb\\_C/1316424799217](http://www.hpa.org.uk/webc/HPAwebFile/HPAweb_C/1316424799217)

HPA (2012) *HIV in the United Kingdom: 2012 Report* [http://www.hpa.org.uk/webc/HPAwebFile/HPAweb\\_C/1317137200016](http://www.hpa.org.uk/webc/HPAwebFile/HPAweb_C/1317137200016)

HPA Web Survey of Young Adults 2012 – not yet published

Hsu, D., Ruf, M., O’Shea, S., Costelloe, S., Peck, J., & Tong, C. (2012). Diagnosing HIV infection in patients presenting with glandular fever-like illness in primary care: are we missing primary HIV infection? *HIV medicine*, 1–4. doi:10.1111/j.1468-1293.2012.01023.x <http://www.medscape.com/viewarticle/776237>

Khan, A., Fortenberry, J. D., Juliar, B. E., Tu, W., Orr, D. P., & Batteiger, B. E. (2005). The Prevalence of Chlamydia, Gonorrhoea, and Trichomonas in Sexual Partnerships: Implications for Partner Notification and Treatment. *Sexually Transmitted Diseases*, 32(4), 260–264.

doi:10.1097/01.olq.0000161089.53411.cb

[http://journals.lww.com/stdjournal/Fulltext/2005/04000/The\\_Prevalence\\_of\\_Chlamydia,\\_Gonorrhoea,\\_and.12.aspx](http://journals.lww.com/stdjournal/Fulltext/2005/04000/The_Prevalence_of_Chlamydia,_Gonorrhoea,_and.12.aspx)

Krentz, H. B., & Gill, M. J. (2008). Cost of medical care for HIV-infected patients within a regional population from 1997 to 2006. *HIV medicine*, 9(9), 721–30. doi:10.1111/j.1468-1293.2008.00613.x

<http://onlinelibrary.wiley.com/doi/10.1111/j.1468-1293.2008.00613.x/pdf>

Lin, J. S., Donegan, S. P., Heeren, T. C., Greenberg, M., Flaherty, E. E., Haivanis, R., Su, X. H., et al. (1998). Transmission of Chlamydia trachomatis and Neisseria gonorrhoeae among men with urethritis and their female sex partners. *The Journal of infectious diseases*, 178(6), 1707–12.

Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9815223>

<http://jid.oxfordjournals.org/content/178/6/1707.full.pdf+html>

Lorimer, K., Reid, M. E., & Hart, G. J. (2009). “It has to speak to people’s everyday life...”: qualitative study of men and women’s willingness to participate in a non-medical approach to Chlamydia trachomatis screening. *Sexually transmitted infections*, 85(3), 201–5. doi:10.1136/sti.2008.031138

<http://sti.bmj.com/content/85/3/201.full?sid=5a6608a2-81a8-4844-a26e-6ba1952e0a14>

Madge S, Matthews P, Singh S, Theobald N. (2011) HIV in Primary Care, 2nd edn. Medical Foundation for AIDS and Sexual Health (MedFASH),

<http://www.medfash.org.uk/uploads/files/p17abjng1g9t9193h1rsl75uuk53.pdf>

Nakagawa, F., Lodwick, R. K., Smith, C. J., Smith, R., Cambiano, V., Lundgren, J. D., Delpech, V., et al. (2012). Projected life expectancy of people with HIV according to timing of diagnosis. *AIDS (London, England)*, 26(3), 335–43. doi:10.1097/QAD.0b013e32834dcec9

[http://journals.lww.com/aidsonline/Fulltext/2012/01280/Projected\\_life\\_expectancy\\_of\\_people\\_with\\_HIV.9.aspx](http://journals.lww.com/aidsonline/Fulltext/2012/01280/Projected_life_expectancy_of_people_with_HIV.9.aspx)

National AIDS Trust (2013) *APPENDICES TO NAT’S PRACTICAL GUIDE FOR COMMISSIONERS*

*Commissioning HIV Testing Services in England*; Appendix 2 of the National AIDS Trust’s Guide to

Commissioning HIV Testing Services: [http://www.nat.org.uk/media/Files/Publications/March\\_2013-Appendix\\_Commissioners\\_Guide.pdf](http://www.nat.org.uk/media/Files/Publications/March_2013-Appendix_Commissioners_Guide.pdf)

National Chlamydia Screening Programme (2010). *Guidelines on dual testing for chlamydia and gonorrhoea*. (August), 1–2. [http://www.chlamydia-screening.nhs.uk/ps/resources/position-statements/Position-Statement\\_DualTesting\\_Aug10.pdf](http://www.chlamydia-screening.nhs.uk/ps/resources/position-statements/Position-Statement_DualTesting_Aug10.pdf)

National Chlamydia Screening Programme (October 2012) *National Chlamydia Screening Programme Standards (6th Edition)*. [http://www.chlamydia-screening.nhs.uk/ps/resources/core-requirements/NCSP%20Standards%206th%20Edition\\_October%202012.pdf](http://www.chlamydia-screening.nhs.uk/ps/resources/core-requirements/NCSP%20Standards%206th%20Edition_October%202012.pdf)

O'Connell, E., Hogan, A., Ricketts, E., Jacomelli, J., & McNulty, C. (2013). Advantages of chlamydia screening in general practice settings. *Primary Health Care*, 23(4), 26–29.  
doi:10.7748/phc2013.05.23.4.26.e710

<http://rcnpublishing.com/doi/pdfplus/10.7748/phc2013.05.23.4.26.e710>

Oakeshott et al. Randomised controlled trial of screening for Chlamydia trachomatis to prevent pelvic inflammatory disease: the POPI (prevention of pelvic infection) trial *BMJ* 2010;340:c1642;  
[http://www.bmj.com/highwire/filestream/352098/file\\_highwire\\_article\\_pdf/0/bmj.c1642](http://www.bmj.com/highwire/filestream/352098/file_highwire_article_pdf/0/bmj.c1642)

Paltiel, a D., Weinstein, M. C., Kimmel, A. D., Seage, G. R., Losina, E., Zhang, H., Freedberg, K. a, et al. (2005). Expanded screening for HIV in the United States--an analysis of cost-effectiveness. *The New England journal of medicine*, 352(6), 586–95. doi:10.1056/NEJMsa042088

<http://www.nejm.org/doi/pdf/10.1056/NEJMsa042088>

Pavlin, N. L., Parker, R., Fairley, C. K., Gunn, J. M., & Hocking, J. (2008). Take the sex out of STI screening! Views of young women on implementing chlamydia screening in General Practice. *BMC infectious diseases*, 8, 62. doi:10.1186/1471-2334-8-62 <http://www.biomedcentral.com/1471-2334/8/62>

Pimenta, J. M., Catchpole, M., Rogers, P. a, Hopwood, J., Randall, S., Mallinson, H., Perkins, E., et al. (2003). Opportunistic screening for genital chlamydial infection. II: prevalence among healthcare attenders, outcome, and evaluation of positive cases. *Sexually transmitted infections*, 79(1), 22–7. Retrieved from

<http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=1744609&tool=pmcentrez&rendertype=abstract>

Price, M. J., Ades, a E., Welton, N. J., Macleod, J., Turner, K., Simms, I., & Horner, P. J. (2012). How much tubal factor infertility is caused by Chlamydia? Estimates based on serological evidence corrected for sensitivity and specificity. *Sexually transmitted diseases*, 39(8), 608–13.

doi:10.1097/OLQ.0b013e3182572475

[http://journals.lww.com/stdjournal/Fulltext/2012/08000/How\\_Much\\_Tubal\\_Factor\\_Infertility\\_Is\\_Caused\\_by.7.aspx](http://journals.lww.com/stdjournal/Fulltext/2012/08000/How_Much_Tubal_Factor_Infertility_Is_Caused_by.7.aspx)

Quinn, T. C., Welsh, L., Lentz, A., Crotchfelt, K., Zenilman, J., Newhall, J., Quinn, T. C., et al. (1996). Diagnosis by AMPLICOR PCR of Chlamydia trachomatis infection in urine samples from women and men attending sexually transmitted disease clinics . Diagnosis by AMPLICOR PCR of Chlamydia trachomatis Infection in Urine Samples from Women and Men Attending Sexually Transmitted Disease Clinics. *J. Clin. Microbiol.* 1996, 34(6):1401.

<http://jcm.asm.org/content/34/6/1401.full.pdf+html?sid=84413d52-38f4-4357-b317-b14d13e6b3dc>

RCGP (2013). Sexually transmitted infections in primary care guidelines

<http://www.rcgp.org.uk/clinical-and-research/clinical-resources/sexually-transmitted-infections-in-primary-care.aspx>

Rose, S. B., Smith, M. C., & Lawton, B. A. (2008). “If everyone does it, it’s not a big deal.” Young people talk about chlamydia testing *THE NEW ZEALAND*, 121(1271), 33–42.

<http://journal.nzma.org.nz/journal/121-1271/2981/content.pdf>

Salisbury, C., Macleod, J., Egger, M., McCarthy, A., Patel, R., Holloway, A., Ibrahim, F., et al. (2006). Opportunistic and systematic screening for chlamydia: a study of consultations by young adults in general practice. *The British journal of general practice: the journal of the Royal College of General Practitioners*, 56(523), 99–103. Retrieved from <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=1828253&tool=pmcentrez&rendertype=abstract>

Sanders, G. D., Bayoumi, A. M., Sundaram, V., Bilir, S. P., Neukermans, C. P., Rydzak, C. E., Douglass, L. R., et al. (2005). Cost-Effectiveness of Screening for HIV in the Era of Highly Active Antiretroviral Therapy. *New England Journal of Medicine*, 352(6), 570–585. doi:10.1056/NEJMsa042657

Sexual Health Commissioning Frequently Asked Questions document prepared by DH, PHE and others in February 2013: [http://www.local.gov.uk/c/document\\_library/get\\_file?uuid=4905f0d4-8fad-4c3a-b53c-b49478b42a49&groupId=10171](http://www.local.gov.uk/c/document_library/get_file?uuid=4905f0d4-8fad-4c3a-b53c-b49478b42a49&groupId=10171)

Wellings, K., Nanchahal, K., Macdowall, W., McManus, S., Erens, B., Mercer, C. H., Johnson, a M., et al. (2001). Sexual behaviour in Britain: early heterosexual experience. *Lancet*, 358(9296), 1843–50. doi:10.1016/S0140-6736(01)06885-4 <http://www.sciencedirect.com/science/article/pii/S0140673601068854>

Yazdanpanah Y, Sloan CE, Charlois-Ou C, Le Vu S, Semaille C, et al. (2010) Routine HIV Screening in France: Clinical Impact and Cost-Effectiveness. *PLoS ONE* 5(10): e13132. doi:10.1371/journal.pone.0013132 <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0013132>